



Freeman 1105 Pourable Foam

Description

Freeman 1105 Pourable Foam can be used for light weight back-up material or void filler. This product features a low viscosity, 1:1 mix ratio by volume, and a 5 lb/cu. ft. density. The volumetric expansion is 10 times its original pour and can be demolded in 20 minutes.

Physical Properties

Color	Beige
Mix Ratio (by volume)	1:1
Mix Ratio (by weight)	100:87
Mix Viscosity (cps)	300
Specific Gravity	0.09
Density (lbs/cubic ft.)	5
Gel Time (minutes)	1.5
Demold Time (minutes)	20
Volumetric Yield (cu.in/lb)	300-350
Volumetric Expansion (Approx.)	10 Times

Ordering Information

Item Number	Description	Size	Net Wt. Lbs.
055446	Freeman 1105 Pourable Foam	Gallon	15

Physical and mechanical properties of tooling plastics herein reported are typical after a full cure of seven (7) days at room temperature or equivalent. Designated mix ratios must be adhered to for desired results. The user shall determine the suitability of this product for their application and assumes all risks and liabilities associated with the use of this product. The exclusive remedy for all proven claims is replacement of our materials only and in no event shall Freeman Mfg. & Supply Co. be liable for special, incidental, or consequential claims.

READ SAFETY DATA SHEETS AND PRODUCT LABELS BEFORE USING PRODUCT

