- CA





## Chemlease® One FS EZ

Print Date: Version **Revision Date:** Date of last issue: -Date of first issue: 2023-03-24 2023-07-21 1.0 2023-03-24

## **SECTION 1. IDENTIFICATION**

Chemlease® One FS EZ Product name

Other means of identification: No data available

## Manufacturer or supplier's details

Company name of supplier Chem-Trend LP

1445 W McPherson Park Dr

PO Box 860, Howell MI 48844-0860

**United States** +1 517 546 4520

E-mail address of person

responsible for the SDS

Emergency telephone

number

SDS-NA@chemtrend.com

: +1 517 545 7070

#### Recommended use of the chemical and restrictions on use

Recommended use Release agent

Restrictions on use For industrial use only.

#### **SECTION 2. HAZARDS IDENTIFICATION**

## GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids Category 2

Skin irritation Category 2

Specific target organ toxicity

- single exposure

Category 3 (Central nervous system)

Aspiration hazard Category 1

**GHS** label elements

Hazard pictograms







Signal word Danger

Highly flammable liquid and vapour. Hazard statements

May be fatal if swallowed and enters airways.





## Chemlease® One FS EZ

VersionRevision Date:Date of last issue: -Print Date:1.02023-03-24Date of first issue: 2023-03-242023-07-21

Causes skin irritation.

May cause drowsiness or dizziness.

Precautionary statements

Prevention:

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Response:

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

Do NOT induce vomiting.

In case of fire: Use alcohol-resistant foam, carbon dioxide or

water mist to extinguish.

Storage:

Store in a well-ventilated place. Keep cool.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

Other hazards

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

## Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Naphtha (petroleum), light alkylate	Naphtha (petroleum), light alkylate; Low boiling point modified naphtha	64741-66-8	Trade secret** (>= 60 - < 80 *)
Naphtha (petroleum), hydrotreated heavy	Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha	64742-48-9	Trade secret** (>= 10 - < 30 *)

<sup>\*</sup> Actual concentration or concentration range is withheld as a trade secret





## Chemlease® One FS EZ

Version Revision Date: Date of last issue: - Print Date: 1.0 2023-03-24 Date of first issue: 2023-03-24 2023-07-21

If inhaled : Call a physician or poison control centre immediately.

Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

If accidentally swallowed obtain immediate medical attention. If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water.

Never give anything by mouth to an unconscious person. Aspiration hazard if swallowed - can enter lungs and cause

damage.

Most important symptoms and effects, both acute and

delayed

Central nervous system depression

Can be absorbed through skin.

Risk of product entering the lungs on vomiting after ingestion.

Health injuries may be delayed.

Causes skin irritation.

Aspiration may cause pulmonary oedema and pneumonitis.

Inhalation may provoke the following symptoms:

Unconsciousness

Dizziness Drowsiness Headache Nausea Tiredness

Skin contact may provoke the following symptoms:

Erythema

Notes to physician : Treat symptomatically.





## Chemlease® One FS EZ

Version Revision Date: Date of last issue: - Print Date: 1.0 2023-03-24 Date of first issue: 2023-03-24 2023-07-21

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during

firefighting

Do not let product enter drains.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Hazardous combustion

products

Carbon oxides

Further information : Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Cool containers/tanks with water spray.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Exposure to decomposition products may be a hazard to

health.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Evacuate personnel to safe areas.

Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition.

Do not breathe vapours or spray mist.

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth,

vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

Non-sparking tools should be used.





## Chemlease® One FS EZ

Version Revision Date: Date of last issue: - Print Date: 1.0 2023-03-24 Date of first issue: 2023-03-24 2023-07-21

Advice on protection against

fire and explosion

Keep away from heat and sources of ignition.

Advice on safe handling : Use only in an area containing explosion proof equipment.

Do not use in areas without adequate ventilation.

Do not breathe vapours or spray mist.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Avoid contact with skin and eyes. For personal protection see section 8.

Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the

application area.

Wash hands and face before breaks and immediately after

handling the product.

Ensure all equipment is electrically grounded before beginning

transfer operations.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest.

Do not use sparking tools.

Do not enter areas where used or stored until adequately

ventilated. Do not repack.

Do not re-use empty containers.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Conditions for safe storage

Store in original container.

Keep container closed when not in use.

Keep in a cool place away from oxidizing agents. Keep in a dry, cool and well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Store in accordance with the particular national regulations.

Keep in properly labelled containers.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Naphtha (petroleum), light alkylate	64741-66-8	TWA (Mist)	5 mg/m3	CA AB OEL (2009-04-30)
		STEL (Mist)	10 mg/m3	CA AB OEL (2009-04-30)





## Chemlease® One FS EZ

VersionRevision Date:Date of last issue: -Print Date:1.02023-03-24Date of first issue: 2023-03-242023-07-21

		TWAEV (Mist)	5 mg/m3	CA QC OEL (2012-11-28)
		STEV (Mist)	10 mg/m3	CA QC OEL (2012-11-28)
Naphtha (petroleum), hydrotreated heavy	64742-48-9	TWA	525 mg/m3	CA ON OEL (2010-11-05)

**Engineering measures** : Use only in an area equipped with explosion proof exhaust

ventilation.

Handle only in a place equipped with local exhaust (or other

appropriate exhaust).

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an

approved filter.

Hand protection

Remarks : Protective gloves The choice of an appropriate glove does

not only depend on its material but also on other quality features and is different from one producer to the other. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore

has to be measured for each case.

Eye protection : Safety glasses with side-shields

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : No data available

Odour : No information available.

Odour Threshold : No data available





## Chemlease® One FS EZ

VersionRevision Date:Date of last issue: -Print Date:1.02023-03-24Date of first issue: 2023-03-242023-07-21

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : 116 °C

Flash point : 8 °C

Method: Pensky-Martens closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 0.72 (20 °C)

Reference substance: Water The value is calculated

Bulk density : No data available

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available





Chemlease® One FS EZ

Version Revision Date: Date of last issue: - Print Date: 1.0 2023-03-24 Date of first issue: 2023-03-24 2023-07-21

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

**SECTION 10. STABILITY AND REACTIVITY** 

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : Heat, flames and sparks.

Strong sunlight for prolonged periods.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No decomposition if stored and applied as directed.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: Effects due to ingestion may include:

Symptoms: Central nervous system depression

Acute inhalation toxicity : Remarks: Respiration of solvent vapour may cause dizziness.

Harmful by inhalation.

Irritating to respiratory system.

Symptoms: Inhalation may provoke the following symptoms:, Local irritation, Respiratory disorders, Dizziness, Drowsiness,

Vomiting, Fatigue, Vertigo, Central nervous system

depression

Acute dermal toxicity : Symptoms: Redness, Local irritation





## Chemlease® One FS EZ

Version Revision Date: Date of last issue: - Print Date: 1.0 2023-03-24 Date of first issue: 2023-03-24 2023-07-21

## **Components:**

Naphtha (petroleum), light alkylate:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Naphtha (petroleum), hydrotreated heavy:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Product:

Remarks : Irritating to skin.

**Components:** 

Naphtha (petroleum), light alkylate:

Result : Skin irritation

Naphtha (petroleum), hydrotreated heavy:

Result : Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

**Product:** 

Remarks : Contact with eyes may cause irritation.

Respiratory or skin sensitisation

**Product:** 

Remarks : This information is not available.

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Product:

Remarks : No data available

Reproductive toxicity

**Product:** 





## Chemlease® One FS EZ

VersionRevision Date:Date of last issue: -Print Date:1.02023-03-24Date of first issue: 2023-03-242023-07-21

Effects on fertility : Remarks: No data available

Effects on foetal development

: Remarks: No data available

#### STOT - single exposure

## **Components:**

## Naphtha (petroleum), light alkylate:

Assessment : May cause drowsiness or dizziness.

## Repeated dose toxicity

#### **Product:**

Remarks : This information is not available.

## **Aspiration toxicity**

#### **Product:**

May be fatal if swallowed and enters airways.

### **Components:**

## Naphtha (petroleum), light alkylate:

May be fatal if swallowed and enters airways.

## Naphtha (petroleum), hydrotreated heavy:

May be fatal if swallowed and enters airways.

#### **Further information**

## **Product:**

Remarks : Ingestion causes irritation of upper respiratory system and

gastrointestinal disturbance.

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

## **Product:**

Toxicity to fish

Remarks: Toxic to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.





## Chemlease® One FS EZ

VersionRevision Date:Date of last issue: -Print Date:1.02023-03-24Date of first issue: 2023-03-242023-07-21

Toxicity to daphnia and other :

aquatic invertebrates Remarks: No data available

Toxicity to algae/aquatic

plants Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

#### **Components:**

## Naphtha (petroleum), light alkylate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 18.4 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.4 mg/l

Exposure time: 48 h

## Naphtha (petroleum), hydrotreated heavy:

## **Ecotoxicology Assessment**

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

## Persistence and degradability

#### **Product:**

Biodegradability : Remarks: No data available

Physico-chemical

removability

Remarks: No data available

## **Components:**

## Naphtha (petroleum), light alkylate:

Biodegradability : Result: Not readily biodegradable.

## Naphtha (petroleum), hydrotreated heavy:

Biodegradability : Result: Not readily biodegradable.





## Chemlease® One FS EZ

Version Revision Date: Date of last issue: - Print Date: 1.0 2023-03-24 Date of first issue: 2023-03-24 2023-07-21

#### Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

Components:

Naphtha (petroleum), light alkylate:

Bioaccumulation : Bioconcentration factor (BCF): 105

Partition coefficient: n-

octanol/water

log Pow: 3.52

Naphtha (petroleum), hydrotreated heavy:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

Remarks: No data available

Mobility in soil

**Product:** 

Mobility : Remarks: No data available

Distribution among

environmental compartments

Remarks: No data available

Other adverse effects

**Product:** 

Additional ecological

information

Toxic to aquatic life with long lasting effects.

## **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.





## Chemlease® One FS EZ

Version Revision Date: Date of last issue: - Print Date: 1.0 2023-03-24 Date of first issue: 2023-03-24 2023-07-21

Dispose of as hazardous waste in compliance with local and

national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

**IATA-DGR** 

UN/ID No. : UN 3295

Proper shipping name : Hydrocarbons, liquid, n.o.s.

Class : 3 Packing group : II

Labels : Flammable Liquids

Packing instruction (cargo

aircraft)

Packing instruction : 353

(passenger aircraft)

**IMDG-Code** 

UN number : UN 3295

Proper shipping name : HYDROCARBONS, LIQUID, N.O.S.

364

(Hydrocarbons, C7-C9, isoalkanes, Hydrocarbons, C10-C12,

isoalkanes, <2% aromatics)

Class : 3
Packing group : II
Labels : 3
EmS Code : F-E, S-D
Marine pollutant : yes

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

**TDG** 

UN number : UN 3295

Proper shipping name : HYDROCARBONS, LIQUID, N.O.S.

Class : 3
Packing group : II
Labels : 3
ERG Code : 128
Marine pollutant : no





## Chemlease® One FS EZ

Version Revision Date: Date of last issue: - Print Date: 1.0 2023-03-24 Date of first issue: 2023-03-24 2023-07-21

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

#### The components of this product are reported in the following inventories:

DSL : This product contains one or several components listed in the

Canadian NDSL.

TSCA : All substances listed as active on the TSCA inventory

#### **Canadian lists**

No substances are subject to a Significant New Activity Notification.

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA ON OEL : Ontario Table of Occupational Exposure Limits made under

the Occupational Health and Safety Act.

CA QC OEL : Québec. Regulation respecting occupational health and

safety, Schedule 1, Part 1: Permissible exposure values for

airborne contaminants

CA AB OEL / TWA : 8-hour Occupational exposure limit
CA AB OEL / STEL : 15-minute occupational exposure limit
CA ON OEL / TWA : Time-Weighted Average Limit (TWA)
CA QC OEL / TWAEV : Time-weighted average exposure value

CA QC OEL / STEV : Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO





## Chemlease® One FS EZ

Version Revision Date: Date of last issue: - Print Date: 1.0 2023-03-24 Date of first issue: 2023-03-24 2023-07-21

International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 2023-03-24 Date format : mm/dd/yyyy

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any guestions, please contact your responsible sales contact or authorized trading partner.