

ARALDITE® AW 9102 CI

Version 1.0 Revision Date: 01/21/2021 SDS Number: 400000008782 Date of last issue: -
Date of first issue: 01/21/2021

Print Date 12/12/2023

SECTION 1. IDENTIFICATION

Product name : ARALDITE® AW 9102 CI

Manufacturer or supplier's details

Company name of supplier : Huntsman Advanced Materials Americas LLC
Address : P.O. Box 4980
The Woodlands,
TX 77387
United States of America (USA)
Telephone : Non-Emergency: (800) 257-5547
E-mail address of person responsible for the SDS : Global_Product_EHS_AdMat@huntsman.com
Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Adhesives

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Skin irritation : Category 2
Serious eye damage : Category 1
Skin sensitisation : Category 1
Short-term (acute) aquatic hazard : Category 2
Chronic aquatic toxicity : Category 2

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

**ARALDITE® AW 9102 CI**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008782	Date of first issue: 01/21/2021

Print Date 12/12/2023

P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing must not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.

Response:
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.
P391 Collect spillage.

Storage:
Not available

Disposal:
P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	1675-54-3	30 - 50
calcium carbonate	471-34-1	30 - 50
1,4-bis(2,3-epoxypropoxy)butane	2425-79-8	5 - 10
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	2530-83-8	1 - 5

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

Both 25068-38-6 and 1675-54-3 can be used to describe the epoxy resin which is produced through the reaction of bisphenol A and epichlorohydrin

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Treat symptomatically.

ARALDITE® AW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008782	Date of first issue: 01/21/2021

Print Date 12/12/2023

- Get medical attention if symptoms occur.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Avoid inhalation, ingestion and contact with skin and eyes.
No action shall be taken involving any personal risk or without suitable training.
It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : Exercise caution when using a high volume water jet as it may scatter and spread fire
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion : Carbon oxides

ARALDITE® AW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008782	Date of first issue: 01/21/2021

Print Date 12/12/2023

- products : Halogenated compounds
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.

ARALDITE® AW 9102 CI

Version 1.0 Revision Date: 01/21/2021 SDS Number: 400000008782 Date of last issue: -
 Date of first issue: 01/21/2021

Print Date 12/12/2023

Keep in properly labelled containers.

- Materials to avoid : For incompatible materials please refer to Section 10 of this SDS.
- Recommended storage temperature : 41 - 95 °F / 5 - 35 °C
- Further information on storage stability : Stable under normal conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
calcium carbonate	471-34-1	TWA (Respirable)	5 mg/m ³ (Calcium carbonate)	NIOSH REL
		TWA (total)	10 mg/m ³ (Calcium carbonate)	NIOSH REL

Personal protective equipment

- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
- Hand protection
- Remarks : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and

**ARALDITE® AW 9102 CI**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008782	Date of first issue: 01/21/2021

Print Date 12/12/2023

concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: viscous liquid
Colour	: off-white
Odour	: mild
Odour Threshold	: No data is available on the product itself.
pH	: No data is available on the product itself.
Melting point/freezing point	: No data is available on the product itself.
Boiling point	: No data is available on the product itself.
Flash point	: > 302 °F / > 150 °C Method: closed cup Based on data from similar materials
Evaporation rate	: No data is available on the product itself.
Flammability (solid, gas)	: No data is available on the product itself.
Flammability (liquids)	: No data is available on the product itself.
Upper explosion limit / Upper flammability limit	: No data is available on the product itself.
Lower explosion limit / Lower flammability limit	: No data is available on the product itself.
Vapour pressure	: No data is available on the product itself.
Relative vapour density	: No data is available on the product itself.
Relative density	: No data is available on the product itself.
Density	: 1.35 - 1.45 g/cm ³
Solubility(ies)	
Water solubility	: practically insoluble (68 °F / 20 °C)
Solubility in other solvents	: No data is available on the product itself.
Partition coefficient: n-octanol/water	: No data is available on the product itself.
Auto-ignition temperature	: No data is available on the product itself.

ARALDITE® AW 9102 CI

Version 1.0 Revision Date: 01/21/2021 SDS Number: 400000008782 Date of last issue: -
Date of first issue: 01/21/2021

Print Date 12/12/2023

Thermal decomposition : No data is available on the product itself.

Self-Accelerating decomposition temperature (SADT) : No data is available on the product itself.

Viscosity
Viscosity, dynamic : 10,000 - 20,000 mPa.s (77 °F / 25 °C)

Explosive properties : No data is available on the product itself.

Oxidizing properties : No data is available on the product itself.

Particle size : No data is available on the product itself.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No hazards to be specially mentioned.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition products : carbon dioxide
carbon monoxide
Halogenated compounds

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : No data is available on the product itself.

Acute toxicity

Acute oral toxicity - Product : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity - Product : Acute toxicity estimate: 18.87 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity - Product : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

ARALDITE® AW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008782	Date of first issue: 01/21/2021

Print Date 12/12/2023

Acute toxicity (other routes of administration) : No data available

Skin corrosion/irritation**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit

Exposure time: 4 h

Assessment: Irritating to skin.

Method: OECD Test Guideline 404

Result: Irritating to skin.

calcium carbonate:

Species: Rabbit

Assessment: No skin irritation

Method: OECD Test Guideline 404

Result: No skin irritation

1,4-bis(2,3-epoxypropoxy)butane:

Species: Rabbit

Method: OECD Test Guideline 404

Result: Skin irritation

GLP: yes

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Serious eye damage/eye irritation**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit

Result: Irritating to eyes.

Assessment: Irritating to eyes.

Method: OECD Test Guideline 405

calcium carbonate:

Species: Rabbit

Result: No eye irritation

Assessment: No eye irritation

Method: OECD Test Guideline 405

1,4-bis(2,3-epoxypropoxy)butane:

Species: Rabbit

Assessment: Risk of serious damage to eyes.

Method: OECD Test Guideline 405

GLP: yes

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:

Species: Rabbit

Result: Risk of serious damage to eyes.

Assessment: Severe eye irritation

Method: OECD Test Guideline 405

ARALDITE® AW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008782	Date of first issue: 01/21/2021

Print Date 12/12/2023

Respiratory or skin sensitisation**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin

Species: Mouse

Method: OECD Test Guideline 429

Result: The product is a skin sensitiser, sub-category 1B.

1,4-bis(2,3-epoxypropoxy)butane:

Exposure routes: Skin

Species: Guinea pig

Method: OECD Test Guideline 406

Result: May cause sensitisation by skin contact.

GLP: yes

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:

Exposure routes: Skin

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Does not cause skin sensitisation.

Components:

1,4-bis(2,3-epoxypropoxy)butane:

Assessment: Harmful if inhaled.

Germ cell mutagenicity**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: without metabolic activation

Result: positive

Test Type: reverse mutation assay

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)

Result: negative

calcium carbonate:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Concentration: 0 - 250 µg/L

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

1,4-bis(2,3-epoxypropoxy)butane:

ARALDITE® AW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008782	Date of first issue: 01/21/2021

Print Date 12/12/2023

Genotoxicity in vitro : Test Type: reverse mutation assay
 Concentration: 10 - 5000 ug/plate
 Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 471
 Result: positive
 GLP: yes
 Remarks: Not classified due to data which are conclusive although insufficient for classification.

Test Type: Chromosome aberration test in vitro
 Test system: Chinese hamster lung cells
 Concentration: 1 - 100 µg/L
 Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 473
 Result: positive
 GLP: yes
 Remarks: Not classified due to data which are conclusive although insufficient for classification.

Test Type: In vitro mammalian cell gene mutation test
 Test system: Chinese hamster lung cells
 Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 476
 Result: positive
 GLP: no
 Remarks: Not classified due to data which are conclusive although insufficient for classification.

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:
 Genotoxicity in vitro : Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 476
 Result: positive

Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 471
 Result: positive

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:
 Genotoxicity in vivo : Test Type: in vivo assay
 Species: Mouse (male)
 Cell type: Germ
 Application Route: Oral
 Dose: 3333, 10000 mg/kg
 Result: negative

Test Type: gene mutation test
 Species: Rat (male)
 Cell type: Somatic
 Application Route: Oral
 Dose: 50,250,500,1000 mg/kg bw/day
 Method: OECD Test Guideline 488
 Result: negative

1,4-bis(2,3-epoxypropoxy)butane:
 Genotoxicity in vivo : Test Type: In vivo micronucleus test

ARALDITE® AW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008782	Date of first issue: 01/21/2021

Print Date 12/12/2023

Species: Mouse (male)
Cell type: Somatic
Application Route: Oral
Exposure time: 4 d
Dose: 187.5 - 750 mg/kg
Method: OECD Test Guideline 474
Result: negative
GLP: yes

Test Type: unscheduled DNA synthesis assay
Species: Rat
Cell type: Liver cells
Application Route: Oral
Method: OECD Test Guideline 486
Result: negative

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:
Genotoxicity in vivo : Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: positive

Application Route: Intraperitoneal injection
Dose: 1600 mg/kg
Result: negative

Application Route: Oral
Result: negative

Components:

1,4-bis(2,3-epoxypropoxy)butane:
Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen., Animal testing did not show any mutagenic effects.

Carcinogenicity**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rat, male
Application Route: Oral
Exposure time: 24 month(s)
Dose: 0, 2, 15, or 100 mg/kg bw/day
Frequency of Treatment: 7 days/week
NOAEL: 15 mg/kg bw/day

Method: OECD Test Guideline 453
Result: negative
Target Organs: Digestive organs

Species: Mouse, male
Application Route: Dermal
Exposure time: 24 month(s)
Dose: 0, 0.1, 10, 100 mg/kg bw/day
Frequency of Treatment: 3 days/week

ARALDITE® AW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008782	Date of first issue: 01/21/2021

Print Date 12/12/2023

NOEL: 0.1 mg/kg body weight

Method: OECD Test Guideline 453
Result: negative
Target Organs: Digestive organs

Species: Rat, female
Application Route: Dermal
Exposure time: 24 month(s)
Dose: 0.1, 100, 1000 mg/kg bw/day
Frequency of Treatment: 5 days/week
NOEL: 100 mg/kg body weight

Method: OECD Test Guideline 453
Result: negative

Species: Rat, female
Application Route: Oral
Exposure time: 24 month(s)
Dose: 0, 2, 15, or 100 mg/kg bw/day
Frequency of Treatment: 7 days/week
NOAEL: 100 mg/kg bw/day

Method: OECD Test Guideline 453
Result: negative
Target Organs: Digestive organs

Species: Rat, females
Application Route: Oral
Exposure time: 24 month(s)
Dose: 0, 2, 15, or 100 mg/kg bw/day
Frequency of Treatment: 7 days/week
NOEL: 2 mg/kg bw/day

Method: OECD Test Guideline 453
Result: negative
Target Organs: Digestive organs

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:

Species: Mouse, male
Application Route: Dermal
Exposure time: 482 days
Dose: 5 mg/kg
Frequency of Treatment: 3 daily
Result: negative

Carcinogenicity - Assessment : No data available

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

ARALDITE® AW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008782	Date of first issue: 01/21/2021

Print Date 12/12/2023

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Dose: 0, 50, 180, 540 or 750 milligram per kilogram
Duration of Single Treatment: 238 d
Frequency of Treatment: 1 daily
General Toxicity - Parent: No-observed-effect level: 540 mg/kg body weight
General Toxicity F1: No-observed-effect level: 750 mg/kg body weight
Symptoms: No adverse effects
Method: OECD Test Guideline 416
Result: No effects on fertility and early embryonic development were detected.

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:

Species: Rat, male and female
Application Route: Oral
Method: OECD Test Guideline 415
Result: No effects on fertility and early embryonic development were detected.

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Effects on foetal development : Species: Rabbit, female
Application Route: Dermal
Dose: 0, 30, 100 or 300 milligram per kilogram
Duration of Single Treatment: 28 d
Frequency of Treatment: 1 daily
General Toxicity Maternal: No observed adverse effect level: 30 mg/kg body weight
Developmental Toxicity: No observed adverse effect level: 300 mg/kg body weight
Method: Other guidelines
Result: No teratogenic effects

Test Type: Pre-natal
Species: Rabbit, female
Application Route: Oral
Dose: 0, 20, 60 or 180 milligram per kilogram
Duration of Single Treatment: 13 d
Frequency of Treatment: 1 daily
General Toxicity Maternal: No observed adverse effect level:

ARALDITE® AW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008782	Date of first issue: 01/21/2021

Print Date 12/12/2023

60 mg/kg body weight
Developmental Toxicity: No observed adverse effect level:
180 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects

Test Type: Pre-natal
Species: Rat, female
Application Route: Oral
Dose: 0, 60, 180 and 540 milligram per kilogram
Duration of Single Treatment: 10 d
Frequency of Treatment: 1 daily
General Toxicity Maternal: No observed adverse effect level:
180 mg/kg body weight
Developmental Toxicity: No observed adverse effect level: >
540 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects

1,4-bis(2,3-epoxypropoxy)butane:

Test Type: Pre-natal
Species: Rat, female
Application Route: Oral
Dose: 0/30/100/300 mg/kg bw/day
Duration of Single Treatment: 17 d
General Toxicity Maternal: No observed adverse effect level:
300 mg/kg body weight
Developmental Toxicity: No observed adverse effect level:
300 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes
Remarks: Information given is based on data obtained from
similar substances.

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:

Species: Rabbit, female
Application Route: Oral
General Toxicity Maternal: No observed adverse effect level:
200 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects

Reproductive toxicity - Assessment : No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Repeated dose toxicity**Components:**

**ARALDITE® AW 9102 CI**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008782	Date of first issue: 01/21/2021

Print Date 12/12/2023

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rat, male and female
NOAEL: 50 mg/kg
Application Route: oral (gavage)
Exposure time: 14 Weeks
Number of exposures: 7 d
Dose: 0, 50, 250, 1000 mg/kg/day
Method: OECD Test Guideline 408

Species: Rat, male and female
NOAEL: >= 10 mg/kg
Application Route: Skin contact
Exposure time: 13 Weeks
Number of exposures: 5 d
Dose: 0, 10, 100, 1000 mg/kg/day
Method: OECD Test Guideline 411

Species: Mouse, male
NOAEL: 100 mg/kg
Application Route: Skin contact
Exposure time: 13 Weeks
Number of exposures: 3 d
Dose: 0, 1, 10, 100 mg/kg/day
Method: OECD Test Guideline 411

1,4-bis(2,3-epoxypropoxy)butane:

Species: Rat, male and female
NOAEL: 200 mg/kg
Application Route: Oral
Exposure time: 28 d
Number of exposures: daily
Dose: 25, 100, 200, 400 mg/kg
Method: Subacute toxicity

Species: Rat, male and female
NOAEL: 263 mg/kg
Application Route: Oral
Exposure time: 90 h
Number of exposures: daily
Dose: 0,30,100,300 mg/kg bw/day
Method: OECD Test Guideline 408
GLP: yes

Remarks: Information given is based on data obtained from similar substances.

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:

Species: Rat, male and female
NOEC: > 1000 mg/m³
Application Route: Inhalation
Test atmosphere: dust/mist
Exposure time: 672 h
Number of exposures: 5 d
Method: OECD Test Guideline 412

Species: Rat, male and female

ARALDITE® AW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008782	Date of first issue: 01/21/2021

Print Date 12/12/2023

NOAEL: 1000 mg/kg/d
Application Route: Ingestion
Exposure time: 2,160 h
Number of exposures: 7 d
Method: Subchronic toxicity

Components:

1,4-bis(2,3-epoxypropoxy)butane:
Repeated dose toxicity - : Harmful if inhaled.
Assessment

Aspiration toxicity

No data available

Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

Ingestion: No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:
Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

calcium carbonate:
Toxicity to fish : LC50: > 56,000 mg/l

ARALDITE® AW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008782	Date of first issue: 01/21/2021

Print Date 12/12/2023

Exposure time: 96 h

1,4-bis(2,3-epoxypropoxy)butane:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 24 mg/l
End point: mortality
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no
Test substance: Fresh water
Method: OECD Test Guideline 203
GLP: no

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 55 mg/l
Exposure time: 96 h
Test Type: semi-static test
Test substance: Fresh water
Method: Directive 67/548/EEC, Annex V, C.1.

Components:**2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.8 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 202

1,4-bis(2,3-epoxypropoxy)butane:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 75 mg/l
End point: Immobilization
Exposure time: 24 h
Test Type: static test
Analytical monitoring: no
Test substance: Fresh water
Method: OECD Test Guideline 202
GLP: no

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:

Toxicity to daphnia and other aquatic invertebrates : LC50: 324 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water

Components:**2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Toxicity to algae/aquatic plants : EC50: 11 mg/l
Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: EPA-660/3-75-009

NOEC: 4.2 mg/l
Exposure time: 72 h
Test Type: static test
Test substance: Fresh water

ARALDITE® AW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008782	Date of first issue: 01/21/2021

Print Date 12/12/2023

Method: EPA-660/3-75-009

1,4-bis(2,3-epoxypropoxy)butane:

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 160 mg/l

Exposure time: 72 h

Test Type: static test

Analytical monitoring: yes

Test substance: Fresh water

Method: OECD Test Guideline 201

GLP: yes

NOELR (Pseudokirchneriella subcapitata (green algae)): 40 mg/l

Exposure time: 72 h

Test Type: static test

Analytical monitoring: yes

Test substance: Fresh water

Method: OECD Test Guideline 201

GLP: yes

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:

Toxicity to algae/aquatic plants : EC50: 119 mg/l

Exposure time: 168 h

Test Type: static test

Test substance: Fresh water

M-Factor (Acute aquatic toxicity) : No data available

Toxicity to fish (Chronic toxicity) : No data available

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.3 mg/l

Exposure time: 21 d

Test Type: semi-static test

Test substance: Fresh water

Method: OECD Test Guideline 211

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): >= 100 mg/l

Exposure time: 21 d

Test Type: semi-static test

Test substance: Fresh water

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : No data available

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

ARALDITE® AW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008782	Date of first issue: 01/21/2021

Print Date 12/12/2023

Test Type: static test
Test substance: Fresh water

1,4-bis(2,3-epoxypropoxy)butane:

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
Test Type: static test
Analytical monitoring: no
Test substance: Fresh water
Method: OECD Test Guideline 209
GLP: no

Toxicity to soil dwelling organisms : No data available

Plant toxicity : No data available

Sediment toxicity : No data available

Toxicity to terrestrial organisms : No data available

Ecotoxicology Assessment**Components:****[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Components:**2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Toxicity Data on Soil : No data available

Other organisms relevant to the environment : No data available

Persistence and degradability**Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Biodegradability : Test Type: aerobic
Inoculum: activated sludge, non-adapted
Concentration: 20 mg/l
Result: Not readily biodegradable.
Biodegradation: 5 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

1,4-bis(2,3-epoxypropoxy)butane:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge

ARALDITE® AW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008782	Date of first issue: 01/21/2021

Print Date 12/12/2023

Concentration: 20 mg/l
 Result: Not readily biodegradable.
 Biodegradation: 43 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301F
 GLP: yes

Test Type: aerobic
 Inoculum: Sewage (STP effluent)
 Concentration: 20 mg/l
 Result: Not readily biodegradable.
 Biodegradation: 38 % (Dissolved organic carbon (DOC))
 Exposure time: 28 d
 Method: OECD Test Guideline 301E
 GLP: no

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:

Biodegradability : Inoculum: activated sludge
 Result: Not readily biodegradable.
 Biodegradation: 37 %
 Exposure time: 28 d
 Method: Directive 67/548/EEC Annex V, C.4.A.

Biochemical Oxygen Demand (BOD) : No data available

Chemical Oxygen Demand (COD) : No data available

BOD/COD : No data available

ThOD : No data available

BOD/ThOD : No data available

Dissolved organic carbon (DOC) : No data available

Physico-chemical removability : No data available

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Stability in water : Degradation half life(DT50): 4.83 d (77 °F / 25 °C) pH: 4
 Method: OECD Test Guideline 111
 Remarks: Fresh water

Degradation half life(DT50): 7.1 d (77 °F / 25 °C) pH: 9
 Method: OECD Test Guideline 111
 Remarks: Fresh water

Degradation half life(DT50): 3.58 d (77 °F / 25 °C) pH: 7
 Method: OECD Test Guideline 111
 Remarks: Fresh water

ARALDITE® AW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008782	Date of first issue: 01/21/2021

Print Date 12/12/2023

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:

Stability in water : Degradation half life(DT50): 6.5 hrs (76.1 °F / 24.5 °C) pH: 7
Method: OECD Test Guideline 111
Remarks: Fresh water

Degradation half life(DT50): 0.15 hrs (76.1 °F / 24.5 °C) pH: 5
Method: OECD Test Guideline 111
Remarks: Fresh water

Degradation half life(DT50): 0.13 hrs (76.1 °F / 24.5 °C) pH: 9
Method: OECD Test Guideline 111
Remarks: Fresh water

Photodegradation : No data available

Impact on Sewage Treatment : No data available

Bioaccumulative potential**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:
Bioaccumulation : Bioconcentration factor (BCF): 31
Remarks: Does not bioaccumulate.

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:
Partition coefficient: n-octanol/water : log Pow: 3.242 (77 °F / 25 °C)
pH: 7.1
Method: OECD Test Guideline 117

1,4-bis(2,3-epoxypropoxy)butane:
Partition coefficient: n-octanol/water : log Pow: -0.269 (77 °F / 25 °C)
pH: 6.7
Method: OECD Test Guideline 117
GLP: yes

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane:
Partition coefficient: n-octanol/water : log Pow: -2.6 (77 °F / 25 °C)

Mobility in soil

Mobility : No data available

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:
Distribution among environmental compartments : Koc: 445
1,4-bis(2,3-epoxypropoxy)butane:
Distribution among environmental compartments : Koc: 12.59
Method: OECD Test Guideline 121

Stability in soil : No data available

ARALDITE® AW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008782	Date of first issue: 01/21/2021

Print Date 12/12/2023

Other adverse effects

Environmental fate and pathways : No data available

Results of PBT and vPvB assessment : No data available

Endocrine disrupting potential : No data available

Adsorbed organic bound halogens (AOX) : No data available

Hazardous to the ozone layer

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
 Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information - Product : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
 Toxic to aquatic life with long lasting effects.

Global warming potential (GWP) : No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
 Do not contaminate ponds, waterways or ditches with chemical or used container.
 Send to a licensed waste management company.
 Dispose of as hazardous waste in compliance with local and national regulations.
 Dispose of contents/ container to an approved waste disposal plant.

Contaminated packaging : Empty remaining contents.
 Dispose of as unused product.
 Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulations**

ARALDITE® AW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008782	Date of first issue: 01/21/2021

Print Date 12/12/2023

IATA

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (BISPHENOL A EPOXY RESIN)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

IMDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL A EPOXY RESIN)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**DOT Classification**

UN/ID/NA number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL A EPOXY RESIN)
Class	: 9
Packing group	: III
Labels	: CLASS 9
ERG Code	: 171
Marine pollutant	: yes(BISPHENOL A EPOXY RESIN)
Remarks	: Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ARALDITE® AW 9102 CI

Version 1.0 Revision Date: 01/21/2021 SDS Number: 400000008782 Date of last issue: -
 Date of first issue: 01/21/2021

Print Date 12/12/2023

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
methanol	67-56-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards : Respiratory or skin sensitisation
 Skin corrosion or irritation
 Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

California Prop. 65

WARNING: This product can expose you to chemicals including silicon dioxide, which is/are known to the State of California to cause cancer, and methanol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL
 AIIC : On the inventory, or in compliance with the inventory
 NZIoC : On the inventory, or in compliance with the inventory
 ENCS : Not in compliance with the inventory
 KECI : On the inventory, or in compliance with the inventory
 PICCS : Not in compliance with the inventory
 IECSC : On the inventory, or in compliance with the inventory
 TCSI : On the inventory, or in compliance with the inventory
 TSCA : All substances listed as active on the TSCA inventory

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

TSCA - 5(a) Significant New Use Rule List of Chemicals

No substances are subject to a Significant New Use Rule.


ARALDITE® AW 9102 CI

Version 1.0 Revision Date: 01/21/2021 SDS Number: 400000008782 Date of last issue: -
 Date of first issue: 01/21/2021

Print Date 12/12/2023

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION**Further information****NFPA 704:****HMIS® IV:**

HEALTH		3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard

Revision Date : 01/21/2021

NIOSH REL : USA. NIOSH Recommended Exposure Limits

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

SAFETY DATA SHEET



DISTRIBUTED BY
Freeman Mfg. & Supply Co.
www.FreemanSupply.com

HUNTSMAN

Enriching lives through innovation

ARALDITE® AW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008782	Date of first issue: 01/21/2021

Print Date 12/12/2023

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.

ARADUR® HW 9102 CI

Version 1.0 Revision Date: 01/21/2021 SDS Number: 400000008889 Date of last issue: -
Date of first issue: 01/21/2021

Print Date 12/12/2023

SECTION 1. IDENTIFICATION

Product name : ARADUR® HW 9102 CI

Manufacturer or supplier's details

Company name of supplier : Huntsman Advanced Materials Americas LLC
Address : P.O. Box 4980
The Woodlands,
TX 77387
United States of America (USA)
Telephone : Non-Emergency: (800) 257-5547
E-mail address of person responsible for the SDS : Global_Product_EHS_AdMat@huntsman.com
Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Hardener

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Skin corrosion : Category 1C
Serious eye damage : Category 1
Skin sensitisation : Category 1
Short-term (acute) aquatic hazard : Category 2
Chronic aquatic toxicity : Category 2

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P261 Avoid breathing mist or vapours.

ARADUR® HW 9102 CI

Version 1.0 Revision Date: 01/21/2021 SDS Number: 400000008889 Date of last issue: -
 Date of first issue: 01/21/2021

Print Date 12/12/2023

P264 Wash skin thoroughly after handling.
 P272 Contaminated work clothing must not be allowed out of the workplace.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
 P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P363 Wash contaminated clothing before reuse.
 P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Amines

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Fatty acids, C18-unsatd., dimers, reaction products with polyethylenepolyamines	68410-23-1	50 - 70
calcium carbonate	471-34-1	30 - 50
Polyoxypropylenediamine (MW=230)	9046-10-0	5 - 10
Diethylenetriamine	111-40-0	1 - 5

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

ARADUR® HW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008889	Date of first issue: 01/21/2021

Print Date 12/12/2023

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Treat symptomatically.
Get medical attention if symptoms occur.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : None known.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon dioxide (CO₂)
Carbon monoxide
Nitrogen oxides (NO_x)
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

ARADUR® HW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008889	Date of first issue: 01/21/2021

Print Date 12/12/2023

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Keep in properly labelled containers.
- Materials to avoid : For incompatible materials please refer to Section 10 of this SDS.
- Recommended storage temperature : 41 - 95 °F / 5 - 35 °C
- Further information on : Stable under normal conditions.

ARADUR® HW 9102 CI

Version 1.0 Revision Date: 01/21/2021 SDS Number: 400000008889 Date of last issue: -
 Date of first issue: 01/21/2021

Print Date 12/12/2023

storage stability

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
calcium carbonate	471-34-1	TWA (Respirable)	5 mg/m ³ (Calcium carbonate)	NIOSH REL
		TWA (total)	10 mg/m ³ (Calcium carbonate)	NIOSH REL
Diethylenetriamine	111-40-0	TWA	1 ppm	ACGIH
		TWA	1 ppm 4 mg/m ³	NIOSH REL
		TWA	1 ppm 4 mg/m ³	OSHA P0

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
 Tightly fitting safety goggles
 Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
 When using do not smoke.
 Wash hands before breaks and at the end of workday.

ARADUR® HW 9102 CI

Version 1.0 Revision Date: 01/21/2021 SDS Number: 400000008889 Date of last issue: -
Date of first issue: 01/21/2021

Print Date 12/12/2023

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : light yellow

Odour : No data is available on the product itself.

Odour Threshold : No data is available on the product itself.

pH : No data is available on the product itself.

Melting point/freezing point : No data is available on the product itself.

Boiling point : No data is available on the product itself.

Flash point : > 212 °F / > 100 °C
Method: closed cup
Based on data from similar materials

Evaporation rate : No data is available on the product itself.

Flammability (solid, gas) : No data is available on the product itself.

Flammability (liquids) : No data is available on the product itself.

Upper explosion limit / Upper flammability limit : No data is available on the product itself.

Lower explosion limit / Lower flammability limit : No data is available on the product itself.

Vapour pressure : No data is available on the product itself.

Relative vapour density : No data is available on the product itself.

Relative density : No data is available on the product itself.

Density : 1.15 - 1.25 g/cm³

Solubility(ies)

 Water solubility : No data is available on the product itself.

 Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-octanol/water : No data is available on the product itself.

Auto-ignition temperature : No data is available on the product itself.

Thermal decomposition : No data is available on the product itself.

Self-Accelerating decomposition temperature (SADT) : No data is available on the product itself.

ARADUR® HW 9102 CI

Version 1.0 Revision Date: 01/21/2021 SDS Number: 400000008889 Date of last issue: -
Date of first issue: 01/21/2021

Print Date 12/12/2023

Viscosity
Viscosity, dynamic : 8,000 - 18,000 mPa.s (77 °F / 25 °C)

Explosive properties : No data is available on the product itself.

Oxidizing properties : No data is available on the product itself.

Particle size : No data is available on the product itself.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No hazards to be specially mentioned.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition products : carbon monoxide
carbon dioxide
Nitrogen oxides (NO_x)

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : No data is available on the product itself.

Acute toxicity

Acute oral toxicity - Product : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity - Product : Acute toxicity estimate: 10.53 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity - Product : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Acute toxicity (other routes of administration) : No data available

Skin corrosion/irritation**Components:**

ARADUR® HW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008889	Date of first issue: 01/21/2021

Print Date 12/12/2023

Fatty acids, C18-unsatd., dimers, reaction products with polyethylenepolyamines:

Species: Rabbit

Method: OECD Test Guideline 431

Result: Skin irritation

calcium carbonate:

Species: Rabbit

Assessment: No skin irritation

Method: OECD Test Guideline 404

Result: No skin irritation

Polyoxypropylenediamine (MW=230):

Species: Rabbit

Assessment: Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.

Method: OECD Test Guideline 404

Result: Corrosive after 1 to 4 hours of exposure

Diethylenetriamine:

Species: Rabbit

Assessment: Causes burns.

Result: Causes burns.

Serious eye damage/eye irritation**Components:**

Fatty acids, C18-unsatd., dimers, reaction products with polyethylenepolyamines:

Species: Rabbit

Result: Corrosive

Method: OECD Test Guideline 405

Remarks: Information given is based on data obtained from similar substances.

calcium carbonate:

Species: Rabbit

Result: No eye irritation

Assessment: No eye irritation

Method: OECD Test Guideline 405

Polyoxypropylenediamine (MW=230):

Species: Rabbit

Result: Irreversible effects on the eye

Assessment: Risk of serious damage to eyes.

Method: OECD Test Guideline 405

Diethylenetriamine:

Species: Rabbit

Result: Corrosive

Assessment: Corrosive

Respiratory or skin sensitisation**Components:**

Fatty acids, C18-unsatd., dimers, reaction products with polyethylenepolyamines:

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin

Species: Mouse

ARADUR® HW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008889	Date of first issue: 01/21/2021

Print Date 12/12/2023

Method: OECD Test Guideline 429
Result: The product is a skin sensitiser, sub-category 1A.

Polyoxypropylenediamine (MW=230):
Exposure routes: Skin
Species: Not Assigned
Result: No data available

Exposure routes: Respiratory Tract
Species: Not Assigned
Result: No data available

Diethylenetriamine:
Exposure routes: Skin
Species: Mouse
Method: OECD Test Guideline 429
Result: May cause sensitisation by skin contact.
Remarks: Causes sensitisation.

Exposure routes: Respiratory Tract
Species: Mouse
Result: Does not cause respiratory sensitisation.

Assessment: No data available

Germ cell mutagenicity**Components:**

Fatty acids, C18-unsatd., dimers, reaction products with polyethylenepolyamines:
Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

calcium carbonate:
Genotoxicity in vitro : Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Concentration: 0 - 250 µg/L
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Polyoxypropylenediamine (MW=230):
Genotoxicity in vitro : Test Type: reverse mutation assay
Test system: Salmonella typhimurium and E. coli
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476

ARADUR® HW 9102 CI

Version 1.0 Revision Date: 01/21/2021 SDS Number: 400000008889 Date of last issue: -
Date of first issue: 01/21/2021

Print Date 12/12/2023

Result: negative

Test Type: gene mutation test

Result: negative

GLP: yes

Components:

Polyoxypropylenediamine (MW=230):

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Cell type: Bone marrow
Application Route: Oral
Dose: 125/250/500 mg/kg bw/day
Method: OECD Test Guideline 474
Result: negative

Diethylenetriamine:

Genotoxicity in vivo : Cell type: Somatic
Application Route: Oral
Dose: 85 - 850 mg/kg
Method: OECD Test Guideline 474
Result: negative

Application Route: Oral

Result: negative

Germ cell mutagenicity-
Assessment

: No data available

Carcinogenicity**Components:**

Diethylenetriamine:
Species: Mouse, male
Application Route: Dermal
Dose: 56.3 mg/kg
Frequency of Treatment: 3 daily
Result: negative

Carcinogenicity -
Assessment

: No data available

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen

ARADUR® HW 9102 CI

Version 1.0 Revision Date: 01/21/2021 SDS Number: 400000008889 Date of last issue: -
Date of first issue: 01/21/2021

Print Date 12/12/2023

by NTP.

Reproductive toxicity**Components:**

Fatty acids, C18-unsatd., dimers, reaction products with polyethylenepolyamines:
Effects on fertility : Species: Rat, male and female
Application Route: Oral
Dose: 0, 100, 300, 1000 mg/kg bw/d
General Toxicity - Parent: No observed adverse effect level:
1,000 mg/kg body weight
Method: OECD Test Guideline 422

Polyoxypropylenediamine (MW=230):

Test Type: Reproduction / Developmental Toxicity Screening Test

Species: Rat, male and female

Application Route: Dermal

Dose: 3/10/30 milligram per kilogram

General Toxicity - Parent: No observed adverse effect level:
30 mg/kg body weightGeneral Toxicity F1: No observed adverse effect level: 30
mg/kg body weight

Method: OECD Test Guideline 421

Result: Animal testing did not show any effects on fertility.

Species: Rat, male and female

Application Route: Oral

Dose: 0/50/150/450 milligram per kilogram

General Toxicity - Parent: No observed adverse effect level:
150 mg/kg body weightGeneral Toxicity F1: No observed adverse effect level: 150
mg/kg body weight

Method: OECD Test Guideline 443

Diethylenetriamine:

Species: Rat, male and female

Application Route: Oral

General Toxicity - Parent: No observed adverse effect level:
30 mg/kg wet weight

Method: OECD Test Guideline 421

Components:

Polyoxypropylenediamine (MW=230):

Effects on foetal
development

: Test Type: Pre-natal

Species: Rabbit, female

Application Route: Oral

Dose: 15/50/115 milligram per kilogram

Duration of Single Treatment: 23 d

General Toxicity Maternal: No observed adverse effect level:
50 mg/kg body weightDevelopmental Toxicity: No observed adverse effect level:
115 mg/kg body weight

Method: OECD Test Guideline 414

ARADUR® HW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008889	Date of first issue: 01/21/2021

Print Date 12/12/2023

Diethylenetriamine:

Species: Rat
Application Route: Oral
General Toxicity Maternal: No observed adverse effect level:
100 mg/kg body weight
Method: OECD Test Guideline 421
Result: No adverse effects

Reproductive toxicity - Assessment : No data available

STOT - single exposure**Components:**

Diethylenetriamine:
Target Organs: Respiratory Tract
Assessment: May cause respiratory irritation.

STOT - repeated exposure

No data available

Repeated dose toxicity**Components:**

Fatty acids, C18-unsatd., dimers, reaction products with polyethylenepolyamines:
Species: Rat, male and female
NOAEL: 1,000 mg/kg
Application Route: Oral
Dose: 0, 100, 300, 1000 mg/kg bw/d
Method: OECD Test Guideline 422
Remarks: Information given is based on data obtained from similar substances.

Polyoxypropylenediamine (MW=230):

Species: Rat, male and female
NOAEL: >= 250 mg/kg/d
Application Route: Dermal
Exposure time: 90 days 6 h
Number of exposures: 5 d
Dose: 0/50/80/250 mg/kg bw/day
Method: OECD Test Guideline 411

Diethylenetriamine:

Species: Rat, male and female
NOEC: 70 - 80 mg/m³
Application Route: Ingestion
Test atmosphere: vapour
Exposure time: 360 h
Number of exposures: 7 d
Method: Subchronic toxicity

Species: Rat, male and female
NOAEL: 114 mg/kg/d

**ARADUR® HW 9102 CI**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008889	Date of first issue: 01/21/2021

Print Date 12/12/2023

Application Route: Skin contact
Exposure time: 9,600 h
Number of exposures: 6 d
Method: Chronic toxicity

Repeated dose toxicity - Assessment : No data available

Aspiration toxicity

No data available

Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

Ingestion: No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:**

Fatty acids, C18-unsatd., dimers, reaction products with polyethylenepolyamines:
Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7.07 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
Remarks: Information given is based on data obtained from similar substances.

calcium carbonate:
Toxicity to fish : LC50: > 56,000 mg/l

ARADUR® HW 9102 CI

Version 1.0 Revision Date: 01/21/2021 SDS Number: 400000008889 Date of last issue: -
Date of first issue: 01/21/2021

Print Date 12/12/2023

Exposure time: 96 h

Polyoxypropylenediamine (MW=230):

Toxicity to fish : EC50 (Oncorhynchus mykiss (rainbow trout)): > 15 mg/l
End point: mortality
Exposure time: 96 h
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 203

Diethylenetriamine:

Toxicity to fish : LC50: 430 mg/l
Exposure time: 96 h
Test Type: semi-static test
Test substance: Fresh water
Method: Directive 67/548/EEC, Annex V, C.1.

Components:**Fatty acids, C18-unsatd., dimers, reaction products with polyethylenepolyamines:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 5.8 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
Remarks: Information given is based on data obtained from similar substances.

Polyoxypropylenediamine (MW=230):

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 80 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 202

Diethylenetriamine:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 64.6 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: Regulation (EC) No. 440/2008, Annex, C.2

EC50 (Daphnia magna (Water flea)): 16 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: DIN 38412

Components:**Fatty acids, C18-unsatd., dimers, reaction products with polyethylenepolyamines:**

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 4.11 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

Polyoxypropylenediamine (MW=230):

ARADUR® HW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008889	Date of first issue: 01/21/2021

Print Date 12/12/2023

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): 15 mg/l
 Exposure time: 72 h
 Test Type: static test
 Test substance: Fresh water
 Method: OECD Test Guideline 201

Diethylenetriamine:
 Toxicity to algae/aquatic plants : EbC50 (Selenastrum capricornutum (green algae)): 1,164 mg/l
 Exposure time: 72 h
 Test Type: static test
 Test substance: Fresh water
 Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : No data available

Components:

Diethylenetriamine:
 Toxicity to fish (Chronic toxicity) : NOEC: 10 mg/l
 Exposure time: 28 d
 Test Type: semi-static test
 Test substance: Fresh water
 Method: OECD Test Guideline 210

Components:

Diethylenetriamine:
 Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 5.6 mg/l
 Exposure time: 21 d
 Test Type: semi-static test
 Test substance: Fresh water
 Method: Directive 67/548/EEC, Annex V, C.20

M-Factor (Chronic aquatic toxicity) : No data available

Components:

Polyoxypropylenediamine (MW=230):
 Toxicity to microorganisms : EC50 (activated sludge): 750 mg/l
 Exposure time: 3 h
 Test Type: static test
 Method: OECD Test Guideline 209

Components:

Diethylenetriamine:
 Toxicity to soil dwelling organisms : EC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg
 Exposure time: 56 d
 Method: OECD Test Guideline 222

Plant toxicity : No data available

Sediment toxicity : No data available

ARADUR® HW 9102 CI

Version 1.0 Revision Date: 01/21/2021 SDS Number: 400000008889 Date of last issue: -
Date of first issue: 01/21/2021

Print Date 12/12/2023

Toxicity to terrestrial organisms : No data available

Ecotoxicology Assessment

Components:

Polyoxypropylenediamine (MW=230):
Acute aquatic toxicity : Harmful to aquatic life.

Diethylenetriamine:
Acute aquatic toxicity : This product has no known ecotoxicological effects.

Components:

Polyoxypropylenediamine (MW=230):
Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Toxicity Data on Soil : No data available

Other organisms relevant to the environment : No data available

Persistence and degradability**Components:**

Fatty acids, C18-unsatd., dimers, reaction products with polyethylenepolyamines:
Biodegradability : Test Type: aerobic
Inoculum: activated sludge, non-adapted
Concentration: 9 mg/l
Result: Inherently biodegradable.
Biodegradation: 0 - 70 %
Exposure time: 74 d
Method: OECD Test Guideline 301B

Polyoxypropylenediamine (MW=230):
Biodegradability : Test Type: aerobic
Inoculum: Mixture
Result: Not biodegradable
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Diethylenetriamine:
Biodegradability : Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: 87 %
Exposure time: 21 d
Method: OECD Test Guideline 301D

Biochemical Oxygen Demand (BOD) : No data available

Chemical Oxygen Demand (COD) : No data available

ARADUR® HW 9102 CI

Version 1.0 Revision Date: 01/21/2021 SDS Number: 400000008889 Date of last issue: -
Date of first issue: 01/21/2021

Print Date 12/12/2023

BOD/COD : No data available

ThOD : No data available

BOD/ThOD : No data available

Dissolved organic carbon (DOC) : No data available

Physico-chemical removability : No data available

Components:

Polyoxypropylenediamine (MW=230):

Stability in water : Degradation half life(DT50): 12 Months (77 °F / 25 °C) pH: 6.5
Method: No information available.
Remarks: Fresh water**Components:**

Diethylenetriamine:

Photodegradation : Test Type: Air
Rate constant: 500000
Degradation (direct photolysis): 50 %

Impact on Sewage Treatment : No data available

Bioaccumulative potential**Components:**

Diethylenetriamine:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 0.3 - 6.3
Exposure time: 42 d
Test substance: Fresh water
Method: flow-through test
Remarks: Bioaccumulation is unlikely.**Components:**

Polyoxypropylenediamine (MW=230):

Partition coefficient: n-octanol/water : Pow: 22.09 (77 °F / 25 °C)
log Pow: 1.34 (77 °F / 25 °C)

Diethylenetriamine:

Partition coefficient: n-octanol/water : log Pow: -1.58 (68 °F / 20 °C)
pH: 7**Mobility in soil**

Mobility : No data available

Components:

ARADUR® HW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008889	Date of first issue: 01/21/2021

Print Date 12/12/2023

Diethylenetriamine:
Distribution among environmental compartments : Koc: 19111
Stability in soil : No data available

Other adverse effects

Environmental fate and pathways : No data available

Results of PBT and vPvB assessment : No data available

Endocrine disrupting potential : No data available

Adsorbed organic bound halogens (AOX) : No data available

Hazardous to the ozone layer

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

Global warming potential (GWP) : No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
Dispose of as hazardous waste in compliance with local and national regulations.
Dispose of contents/ container to an approved waste disposal plant.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

ARADUR® HW 9102 CI

Version 1.0 Revision Date: 01/21/2021 SDS Number: 400000008889 Date of last issue: -
 Date of first issue: 01/21/2021

Print Date 12/12/2023

International Regulations**IATA**

UN/ID No. : UN 2735
 Proper shipping name : Amines, liquid, corrosive, n.o.s.
 (POLYOXYPROPYLENEDIAMINE)
 Class : 8
 Packing group : III
 Labels : Corrosive
 Packing instruction (cargo aircraft) : 856
 Packing instruction (passenger aircraft) : 852

IMDG

UN number : UN 2735
 Proper shipping name : AMINES, LIQUID, CORROSIVE, N.O.S.
 (POLYOXYPROPYLENEDIAMINE)
 Class : 8
 Packing group : III
 Labels : 8
 EmS Code : F-A, S-B
 Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**DOT Classification**

UN/ID/NA number : UN 2735
 Proper shipping name : AMINES, LIQUID, CORROSIVE, N.O.S.
 (POLYOXYPROPYLENEDIAMINE)
 Class : 8
 Packing group : III
 Labels : CORROSIVE
 ERG Code : 153
 Marine pollutant : yes(Polyaminoamide)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
toluene	108-88-3	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

ARADUR® HW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008889	Date of first issue: 01/21/2021

Print Date 12/12/2023

SARA 311/312 Hazards : Respiratory or skin sensitisation
Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

California Prop. 65

WARNING: This product can expose you to chemicals including toluene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

DSL	: All components of this product are on the Canadian DSL
AIIC	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
ENCS	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

TSCA - 5(a) Significant New Use Rule List of Chemicals

No substances are subject to a Significant New Use Rule.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No substances are subject to TSCA 12(b) export notification requirements.

ARADUR® HW 9102 CI


Version 1.0 Revision Date: 01/21/2021 SDS Number: 400000008889 Date of last issue: -
 Date of first issue: 01/21/2021

Print Date 12/12/2023

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard

- Revision Date : 01/21/2021
- ACGIH : USA. ACGIH Threshold Limit Values (TLV)
- NIOSH REL : USA. NIOSH Recommended Exposure Limits
- OSHA P0 : USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
- ACGIH / TWA : 8-hour, time-weighted average
- NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
- OSHA P0 / TWA : 8-hour time weighted average

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

SAFETY DATA SHEET



DISTRIBUTED BY
Freeman Mfg. & Supply Co.
www.FreemanSupply.com

HUNTSMAN

Enriching lives through innovation

ARADUR® HW 9102 CI

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/21/2021	400000008889	Date of first issue: 01/21/2021

Print Date 12/12/2023

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.