



SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT IDENTIFIER Clear Paste Wax

OTHER MEANS OF IDENTIFICATION B84100

RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE

Recommended Use Floor Wax - Wood

Uses advised against See product label for any usage and surface restrictions.

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

COMPANY IDENTITY

Beaumont Products, Inc.

COMPANY ADDRESS

1540 Big Shanty Drive

COMPANY CITY, STATE, ZIP

Kennesaw, GA 30144

COMPANY PHONE

1-800-451-7096

EMERGENCY PHONE CHEMTEL: 1-800-255-3924, Int'l: 1-813-248-0585

SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). The hazards described in this OSHA Globally Harmonized System Safety Data Sheet are not intended for consumers and does not address consumer use of the product. For information regarding consumer use of this product, refer to the product label.

Aspiration toxicity Category 1

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

Emergency Overview

Signal Word DANGER

Hazard Statements

May be fatal if swallowed and enters airways



Appearance Tan Opaque Physical State Buttery Solid Odor Solvent

PRECAUTIONARY STATEMENTS - PREVENTION

Keep out of reach of children.

Read label before use.





PRECAUTIONARY STATEMENTS - RESPONSE

IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting.

PRECAUTIONARY STATEMENTS - STORAGE

Store locked up.

PRECAUTIONARY STATEMENTS - DISPOSAL

Dispose of in accordance with federal, state, local, and regional regulations.

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)

No information available.

UNKNOWN TOXICITY

No information available.

OTHER INFORMATION

Prolonged or repeated contact may dry skin and cause irritation.

INTERACTIONS WITH OTHER CHEMICALS

No information available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

 CHEMICAL NAME
 CAS#
 WT%

 Petroleum distillates
 64742-47-8, 64742-46-7
 60 – 100

The exact percentages (concentrations) of ingredients in this product have been withheld as a trade secret. These chemicals are listed because in their bulk form, they meet the OSHA, WHMIS, or NOM-010-STPS definition of hazardous. Any hazards associated with the finished product are listed in Section 2 of this SDS.

SECTION 4: FIRST AID MEASURES

FIRST AID MEASURES

SKIN CONTACTRemoval of solidified molten material from skin requires medical

attention.

EYE CONTACTRinse thoroughly with plenty of water, also under the eyelids. If symptoms

persist, call a physician.

INGESTION Aspiration hazard if swallowed – can enter lungs and cause damage. Do

NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a

physician or POISON CONTROL center immediately.

INHALATION Remove to fresh air. If not breathing, give artificial respiration. If

breathing is difficult, (trained personnel should) give oxygen.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Most Important Symptoms and Effects Difficulty in breathing. Coughing and/or wheezing. Dizziness.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEEDED

Notes to Physician Treat symptomatically.





SECTION 5: FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA

This product is combustible. Dry chemical, CO2, sand, earth, water spray or regular foam.

UNSUITABLE EXTINGUISHING MEDIA

No information available.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL

This product has a flashpoint of 161.6°F/72°C.

HAZARDOUS COMBUSTION PRODUCTS

Carbon oxides

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Wear firefighting equipment suitable for surrounding materials. Move containers from the fire area if you can do it without risk.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate

personnel to safe areas. See section 8 for more information. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Refer to protective measures listed in Sections 7 and 8. Ventilate the area.

ENVIRONMENTAL PRECAUTIONS

Other Information

Environmental Precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if

safe to do so. Prevent product from entering drains.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEAN-UP

Methods for ContainmentPrevent further leakage or spillage if safe to do so. Do not touch or walk through spilled

material. Dike ahead of the spill and collect runoff water. Keep out of drains, sewers, ditches

and waterways.

Methods for cleaning up Pick up and transfer to properly labeled containers. Take precautionary measures against

static discharges. Dam up. Soak up with Inert absorbent material.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Handling Handle in accordance with good industrial hygiene and safety practices. Use personal

protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat/sparks/open flames/hot surfaces. – No Smoking. Keep out of reach of children and pets. Wash hands thoroughly after handling. Use according to package label

instructions.





CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture.

Store locked up. Keep out of the reach of children. Store away from other materials. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with any federal,

state, local, and regional regulations.

Incompatible Products See Section 10 for incompatible materials.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

Exposure Guidelines

Component	CAS Number	Source	Exposure Limit
Distillates, petroleum,	64742-47-8	ACGIH TLV (TWA)	100 ppm
hydrotreated light			

APPROPRIATE ENGINEERING CONTOLS

Engineering Measures Showers, Eyewash stations, Ventilation systems

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL EQUIPMENT

Protective Equipment When using this product as directed on the label, no protective equipment is necessary.

Take normal precautions necessary when using a paste wax product.

Eye/Face Protection Tight sealing safety goggles. None required during normal consumer use.

Skin and Body Protection Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant

apron. Impervious gloves. Antistatic boots. None required during normal consumer use. No protective equipment is needed under normal use conditions. If exposure limits are

Respiratory ProtectionNo protective equipment is needed under normal use conditions. If exposure limits

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practices. Do not eat, drink or

smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

Wash hands before breaks and immediately after handling the product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE Paste.

APPEARANCE Tan, opaque.

Color Tan

pH No data available.

ODOR Solvent

ODOR THRESHOLD

MELTING/FREEZING POINT

135-190°F/57-88°C.

INITIAL BOILING POINT

No data available.

BOILING POINT RANGE

FLASH POINT

161.6°F/72°C.

EVAPORATION RATE

No data available.

No data available.





PERCENTAGE VOLATILE BY VOLUME No data available. **FLAMMABILITY** Combustible. **UPPER FLAMMABILITY LIMIT** No data available. **LOWER FLAMMABILITY LIMIT** No data available. **VAPOR PRESSURE** No data available. **VAPOR DENSITY** No data available. SPECIFIC GRAVITY No data available. **SOLUBILITY** Immiscible in water. **PARTITION COEFFICIENT** No data available. **AUTO IGNITION TEMPERATURE** No data available. **DECOMPOSITION TEMPERATURE** No data available. VISCOSITY No data available. **MOLECULAR WEIGHT** No data available.

%VOC BY WEIGHT 66.80% less exempt compounds.

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY

No data available.

CHEMICAL STABILITY

This product is stable under normal conditions (25°C/77°F and 100kPa/1bar).

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge Keep away from static electricity.

POSSIBILITY OF HAZARDOUS REACTIONS

None under normal processing.

HAZARDOUS POLYMERIZATION

Hazardous Polymerization will not occur.

CONDITIONS TO AVOID

Heat, flames, sparks.

INCOMPATIBLE MATERIALS

Strong acids, alkalis, oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS

Carbon oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTES OF EXPOSURE

PRODUCT INFORMATION

INHALATIONSpecific test data for the substance or mixture is not available.INGESTIONSpecific test data for the substance or mixture is not available.SKIN CONTACTSpecific test data for the substance or mixture is not available.EYE CONTACTSpecific test data for the substance or mixture is not available.





COMPONENT INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

Symptoms No information available.

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE

Sensitization No information available. **Mutagenic Effects** No information available. Carcinogenicity No information available. **Reproductive Toxicity** No information available. STOT - single exposure No information available. STOT - repeated exposure No information available. **Chronic Toxicity** No information available. **Target Organ Effects** No information available. **Aspiration Hazard** No information available.

NUMERICAL MEASURES OF TOXICITY – PRODUCT INFORMATION

The following values are calculated based on Chapter 3.1 of GHS

ATE mix (oral): 57,290.00 mg/kg

ATEmix (inhalation – dust/mist): 50.46 mg/L

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY

The environmental impact of this product has not been fully investigated.

PERSISTENCE AND DEGRADABILITY

No information available.

BIOACCUMULATION

No information available.

OTHER ADVERSE EFFECTS

No information available.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

Disposal MethodsDispose of in accordance with federal, state, local, and regional

regulations.

Contaminated Packaging Dispose of in accordance with federal, state, local, and regional

regulations.

SECTION 14: TRANSPORT INFORMATION

This product is not regulated as a dangerous good under DOT, TDG, IATA, and IMDG.





SECTION 15: REGULATORY INFORMATION

OSHA HAZARD COMMUNICATION RULE, 29 CFR 1910.1200:

The Occupational Safety and Health Administration requires Safety Data Sheets to provide any hazards that may be associated with the product and make this information available in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this SDS may contain additional health hazard information not pertinent to consumer use.

<u>US TSCA INVENTORY STATUS</u>
All chemicals used in this product are either listed on or exempt.

<u>CANADA DSL STATUS</u> All chemicals used in this product are either listed or exempt.

SARA 302 COMPONENTS No chemicals used in this product are reportable under SARA Title III, Section 302.

SARA 311/312 HAZARDOUS CHEMICALS
See Section 2 for more information.

SARA 313 COMPONENTS

No chemicals used in this product are reportable under SARA Title III, Section 313.

CALIFORNIA PROPOSITION 65

This product is not known to contain any chemicals currently listed under California

Proposition 65 at reportable levels.

U.S. STATE RIGHT -TO-KNOW REGULATIONS

Chemical	CAS#	Massachusetts	New Jersey	Pennsylvania
Distillates, petroleum,	64742-47-8	X	X	X
hydrotreated light				
Distillates, petroleum,	64742-46-7			X
hydrotreated middle				
Microcrystalline wax	63231-60-7		Х	

SECTION 16: ADDITIONAL INFORMATION

SDS REVISION NUMBER 11.4

SDS PREPARATION DATE 08/JAN/2021

SUPERCEDES Revision 11.4; 11/NOV/2021

Reviewed 06/FEB/2024; no changes

REVISION NOTES None available.

This information is supplied under the OSHA Hazard Communication Standard, 29 CFR 1910.1200, and is offered in good faith based on data available that is believed to be true and accurate.

This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations* and the SDS contains all information required by the *Controlled Products Regulations*.

The recommended hygiene and safe handling procedures are believed to be generally applicable to this product. However, each user should review these recommendations in a specific context of the intended use and determine whether they are appropriate for that use. No warranty, express or implied, is made regarding the accuracy of this data, the hazards connected with the use of the product, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein.