



Version	Revision Date:	Date of last issue: 02/27/2023	Print Date: 03/14/2023
1.1	02/28/2023	Date of first issue: 02/27/2023	

SECTION 1. IDENTIFICATION

Product name	:	Zyvax® Flex-Z™ 6.0
--------------	---	--------------------

Manufacturer or supplier's details

Company name of supplier	:	Chem-Trend LP 1445 W McPherson Park Dr PO Box 860, Howell MI 48844-0860 United States +1 517 546 4520				
E-mail address of person responsible for the SDS	:	SDS-NA@chemtrend.com				
Emergency telephone number	:	+1 517 545 7070				
Recommended use of the chemical and restrictions on use						
Recommended use	:	Release agent				

Restrictions on use	:	For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	:	Category 2
Skin irritation	:	Category 2
Specific target organ toxicity - single exposure	:	Category 3 (Central nervous system)
Aspiration hazard	:	Category 1
GHS label elements Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	Highly flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes skin irritation.







nt Date: /14/2023
pen flames and
N CENTER/ doctor. rbon dioxide or
d waste disposal

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)		
Naphtha (petroleum), light alkylate	64741-66-8	Trade secret (>= 60 - < 80)		
Pentane, 2,2,4-trimethyl-	540-84-1	Trade secret (>= 10 - < 30)		
Actual concentration is withheld as a trade secret				

SECTION 4. FIRST AID MEASURES

If inhaled	Call a physician or poison control centre Remove person to fresh air. If signs/sym medical attention. Keep patient warm and at rest. If unconscious, place in recovery position advice. Keep respiratory tract clear. If breathing is irregular or stopped, admir respiration.	ptoms continue, get
In case of skin contact	Take off all contaminated clothing imme Wash off immediately with soap and ple	







Version 1.1	Revision Date: 02/28/2023		e of last issue: 02/27/2023 e of first issue: 02/27/2023	Print Date: 03/14/2023
			Get medical attention immediately persists. Wash clothing before reuse. Thoroughly clean shoes before reu	
In ca	ase of eye contact	:	Rinse immediately with plenty of w for at least 10 minutes. If eye irritation persists, consult a s	-
lf sw	rallowed	:	Move the victim to fresh air. If accidentally swallowed obtain im If unconscious, place in recovery p advice. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to a Aspiration hazard if swallowed - ca damage.	oosition and seek medical n unconscious person.
	t important symptoms effects, both acute and yed	:	Central nervous system depressio Can be absorbed through skin. Risk of product entering the lungs Health injuries may be delayed. Causes skin irritation. Inhalation may provoke the followin Unconsciousness Dizziness Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the follo Erythema Aspiration may cause pulmonary of	on vomiting after ingestion. ng symptoms: owing symptoms:
Note	es to physician	:	Treat symptomatically.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not let product enter drains. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.







Version 1.1	Revision Date: 02/28/2023		e of last issue: 02/27/2023 e of first issue: 02/27/2023	Print Date: 03/14/2023
Haza prod	ardous combustion ucts	:	Carbon oxides	
Furth	ner information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing w must not be discharged into drains. Cool containers/tanks with water spray.	vater separately. This
	cial protective equipmen refighters	t :	In the event of fire, wear self-contained b Use personal protective equipment. Exposure to decomposition products ma health.	0 11

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Non-sparking tools should be used.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Keep away from heat and sources of ignition.
Advice on safe handling	:	Use only in an area containing explosion proof equipment. Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the







Version 1.1	Revision Date: 02/28/2023	Date of last issue: 02/27/2023 Date of first issue: 02/27/2023	Print Date: 03/14/2023
		application area. Wash hands and face before breaks handling the product. Ensure all equipment is electrically of transfer operations. Do not get in eyes or mouth or on si Do not get on skin or clothing. Do not get on skin or clothing. Do not ingest. Do not use sparking tools. Do not enter areas where used or si ventilated. Do not repack. Do not repack. Do not re-use empty containers. These safety instructions also apply may still contain product residues. Keep container closed when not in the	grounded before beginning kin. tored until adequately
Conc	litions for safe storage	 Store in original container. Keep container closed when not in a Keep in a cool place away from oxid Keep in a dry, cool and well-ventilat Containers which are opened must kept upright to prevent leakage. Store in accordance with the particul Keep in properly labelled containers 	dizing agents. ed place. be carefully resealed and Ilar national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Naphtha (petroleum), light alkylate	64741-66-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1 (2007-01-01)
		TWA (Mist)	5 mg/m3	OSHA Z-1 (2018-03-15)
		TWA (Mist)	5 mg/m3	NIOSH REL (2019-10-04)
		ST (Mist)	10 mg/m3	NIOSH REL (2019-10-04)
Pentane, 2,2,4-trimethyl-	540-84-1	TWA	300 ppm	ACGIH (2016-03-01)

Engineering measures : Use only in an area equipped with explosion proof exhaust ventilation.

Handle only in a place equipped with local exhaust (or other appropriate exhaust).







Version 1.1	Revision Date: 02/28/2023		e of last issue: 02/27/2023 e of first issue: 02/27/2023	Print Date: 03/14/2023
	sonal protective equip piratory protection	ment :	In the case of vapour formation use a reapproved filter.	espirator with an
Han	d protection			
F	Remarks	:	Protective gloves The choice of an app not only depend on its material but also features and is different from one produ- break through time depends amongst of material, the thickness and the type of has to be measured for each case.	on other quality ucer to the other. The other things on the
Eye	protection	:	Safety glasses with side-shields	
Skir	and body protection	:	Choose body protection in relation to its concentration and amount of dangerou the specific work-place.	
Prot	ective measures	:	The type of protective equipment must to the concentration and amount of the at the specific workplace.	
Hyg	iene measures	:	Wash face, hands and any exposed sk handling.	in thoroughly after

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	colourless
Odour	:	solvent-like
Odour Threshold	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Melting point/range	:	No data available
Boiling point/boiling range	:	208 °F / 98 °C







Vers 1.1	ion	Revision Date: 02/28/2023		of last issue: 02/27/2023 of first issue: 02/27/2023	Print Date: 03/14/2023
	Flash p	point	:	18 °F / -8 °C	
	Evapo	ration rate	:	No data available	
	Flamm	ability (solid, gas)	:	No data available	
	Self-ig	nition	:	No data available	
		explosion limit / Upper ability limit	:	6.3 %(V)	
		explosion limit / Lower ability limit	:	0.9 %(V)	
	Vapou	r pressure	:	45 hPa (68 °F / 20 °C)	
	Relativ	e vapour density	:	No data available	
	Relativ	e density	:	0.69 (68 °F / 20 °C) Reference substance: Water The value is calculated	
	Bulk de	ensity	:	No data available	
		ity(ies) ter solubility	:	insoluble	
	Sol	ubility in other solvents	5 :	No data available	
	Partitic octano	on coefficient: n- I/water	:	No data available	
	Auto-ig	nition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	Viscos Viso	ity cosity, dynamic	:	No data available	
	Viso	cosity, kinematic	:	< 7 mm2/s (104 °F / 40 °C)	
	Explos	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	No data available	
	Sublim	ation point	:	No data available	

SECTION 10. STABILITY AND REACTIVITY







Version 1.1	Revision Date: 02/28/2023		of last issue: 02/27/2023 of first issue: 02/27/2023	Print Date: 03/14/2023
Read	ctivity	:	No hazards to be specially mentio	ned.
Cher	nical stability	:	Stable under normal conditions.	
Poss react	sibility of hazardous tions	:	No dangerous reaction known und	der conditions of normal use.
Cond	ditions to avoid		Heat, flames and sparks. Strong sunlight for prolonged perio	ods.
Incor	mpatible materials	:	Oxidizing agents	
Haza prod	ardous decomposition ucts	:	No decomposition if stored and ap	oplied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Product:		
Acute oral toxicity	:	Remarks: Effects due to ingestion may include:
		Symptoms: Central nervous system depression
Acute inhalation toxicity	:	Remarks: Respiration of solvent vapour may cause dizziness.
		Symptoms: Inhalation may provoke the following symptoms:, Dizziness, Drowsiness, Vomiting, Fatigue, Vertigo, Central nervous system depression
Acute dermal toxicity	:	Symptoms: Redness, Local irritation
		Acute toxicity estimate: 3,336 mg/kg Method: Calculation method
Components:		
Naphtha (petroleum), light al	lky	late:
Acute oral toxicity	:	LD50 Oral (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402
Pentane, 2,2,4-trimethyl-: Acute oral toxicity	:	(Rat): > 5,000 mg/kg







VUNG						
rsion	Revision Date: 02/28/2023	Date of last issue: 02/27/2023 Date of first issue: 02/27/2023	Print Date: 03/14/2023			
Skin	corrosion/irritation					
Prod	uct:					
Rema		: Irritating to skin.				
Com	ponents:					
Naph	tha (petroleum), lig	nt alkylate:				
Resu	lt	: Skin irritation				
Penta	ane, 2,2,4-trimethyl-					
Spec		: Rabbit				
Meth Resu		: Draize Test : Skin irritation				
Resu	n.	. Okin initation				
Serio	ous eye damage/eye	irritation				
Prod	uct:					
Rema	arks	: Contact with eyes may cause	e irritation.			
Resp	iratory or skin sens	itisation				
Prod	uct:					
Rema	arks	: This information is not availa	ble.			
Germ	n cell mutagenicity					
Prod	uct:					
Geno	otoxicity in vitro	: Remarks: No data available				
Geno	toxicity in vivo	: Remarks: No data available				
Carci	inogenicity					
Prod	uct:					
Rema	arks	: No data available				
IARC		nent of this product present at levels is probable, possible or confirmed hu				
OSH		No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.				
NTP		nent of this product present at levels is a known or anticipated carcinogen				



SAFETY DATA SHEET





Zyvax® Flex-Z™ 6.0

sion	Revision Date: 02/28/2023		last issue: 02/27/2023 first issue: 02/27/2023	Print Date: 03/14/2023
Repr	oductive toxicity			
Prod	uct:			
-	ts on fertility	: Re	marks: No data available	
	ts on foetal opment	: Re	marks: No data available	
STO	- single exposure			
<u>Com</u>	oonents:			
Naph	tha (petroleum), lig	t alkylate	:	
-	ssment	-	y cause drowsiness or dizzine	SS.
Penta	ane, 2,2,4-trimethyl-			
	et Organs ssment		rcotic effects ly cause drowsiness or dizzine	SS.
Repe	ated dose toxicity			
Prod	uct:			
Rema	arks	: Th	is information is not available.	
Aspir	ation toxicity			
Prod	uct:			
Mayb	be fatal if swallowed a	nd enters	airways.	
<u>Com</u>	oonents:			
Naph	tha (petroleum), lig	t alkvlate	:	
-	be fatal if swallowed a	-		
Penta	ane, 2,2,4-trimethyl-			
May b	be fatal if swallowed a	nd enters	airways.	
	er information			
Furth				
Furth <u>Prod</u>	uct:			







Version	Revision Date:	Date of last issue: 02/27/2023	Print Date:
1.1	02/28/2023	Date of first issue: 02/27/2023	03/14/2023

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

I OXICITY TO TISH	:	Remarks: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Components:

• • •	Naphtha (petroleum), light alkylate:Toxicity to daphnia and otheraquatic invertebratesEC50 (Daphnia magna (Water flea)): 2.4 mg/lExposure time: 48 h				
Pentane, 2,2,4-trimethyl-: Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 18.4 mg/l Exposure time: 96 h			
Toxicity to daphnia and other		Test Type: semi-static test Method: OECD Test Guideline 203 EC50 (Daphnia magna (Water flea)): 0.4 mg/l			
aquatic invertebrates		Exposure time: 48 h Test Type: static test			
toxicity)	:	1			
Ecotoxicology Assessment Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.			







Persistence and degradability Product: Biodegradability : Remarks: No data available Physico-chemical : Remarks: No data available removability : Remarks: No data available Components: Naphtha (petroleum), light alkylate: Biodegradability : Result: Not readily biodegradable. Pentane, 2,2,4-trimethyl-: Biodegradability Biodegradability : Remarks: The solvent is biodegradable. Bioaccumulative potential Product: Bioaccumulation : Remarks: This mixture contains no substance considered be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be ver persistent and very bioaccumulating (vPvB). Components: Naphtha (petroleum), light alkylate: Bioaccumulation : Bioconcentration factor (BCF): 105 Partition coefficient: n- : log Pow: 3.52 Pertane, 2,2,4-trimethyl: : Bioconcentration factor (BCF): 231 Mobility in soil : Bioaccumulation Product: : Bioconcentration factor (BCF): 231	rsion	Revision Date: 02/28/2023		e of last issue: 02/27/2023 e of first issue: 02/27/2023	Print Date: 03/14/2023
Biodegradability : Remarks: No data available Physico-chemical : Remarks: No data available removability : Remarks: No data available Components: Naphtha (petroleum), light alkylate: Biodegradability : Biodegradability : Result: Not readily biodegradable. Pentane, 2,2,4-trimethyl-: Biodegradability : Remarks: The solvent is biodegradable. Bioaccumulative potential Product: Bioaccumulation : Remarks: This mixture contains no substance considered to be ver persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be ver persistent and very bioaccumulating (vPvB). Components: Naphtha (petroleum), light alkylate: Bioaccumulation : Bioconcentration factor (BCF): 105 Partition coefficient: n- : log Pow: 3.52 octanol/water : Bioconcentration factor (BCF): 231 Mobility in soil Product: : Mobility in soil Product: : Mobility in soil Enemarks: No data available Distribution among	Persi	stence and degradabi	lity		
Physico-chemical removability : Remarks: No data available Components: Naphtha (petroleum), light alkylate: Biodegradability : Result: Not readily biodegradable. Pentane, 2,2,4-trimethyl-: : Remarks: The solvent is biodegradable. Bioaccumulative potential Product: Bioaccumulation : Remarks: This mixture contains no substance considered be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be ver persistent and very bioaccumulating (vPvB). Components: Naphtha (petroleum), light alkylate: Bioaccumulation : Bioconcentration factor (BCF): 105 Partition coefficient: n- : log Pow: 3.52 octanol/water : Bioconcentration factor (BCF): 231 Mobility in soil Product: Mobility in soil : Bioconcentration factor (BCF): 231 Mobility in soil : Bioconcentration factor (BCF): 231	Prod	uct:			
removability removability Components: Naphtha (petroleum), light alkylate: Biodegradability : Result: Not readily biodegradable. Pentane, 2,2,4-trimethyl-: Biodegradability : Biodegradability : Remarks: The solvent is biodegradable. Bioaccumulative potential Product: Bioaccumulation : Remarks: This mixture contains no substance considered be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be ver persistent and very bioaccumulating (vPvB). Components: Naphtha (petroleum), light alkylate: Bioaccumulation : Bioaccumulation : Partition coefficient: n- : Iog Pow: 3.52 octanol/water Pentane, 2,2,4-trimethyl-: Bioaccumulation : Bioaccumulation : Bioaccumulation : Mobility in soil Product: : Mobility in soil : Product: : Mobility : Distribution among :	Biode	gradability	:	Remarks: No data available	
Naphtha (petroleum), light alkylate: Biodegradability : Result: Not readily biodegradable. Pentane, 2,2,4-trimethyl-: Biodegradability : Remarks: The solvent is biodegradable. Bioaccumulative potential Product: Bioaccumulation : Remarks: This mixture contains no substance considered be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be ver persistent and very bioaccumulating (vPvB). Components: Naphtha (petroleum), light alkylate: Bioaccumulation : Bioaccumulation : Bioaccumulation : Partition coefficient: n- octanol/water : Pentane, 2,2,4-trimethyl-: : Bioaccumulation : Bioaccumulation : Partition coefficient: n- octanol/water : Pentane, 2,2,4-trimethyl-: : Bioaccumulation			:	Remarks: No data available	
Biodegradability : Result: Not readily biodegradable. Pentane, 2,2,4-trimethyl-: Bioaccumulative potential Bioaccumulative potential Product: Bioaccumulation : Remarks: This mixture contains no substance considered be persistent, bioaccumulating and toxis (PBT). This mixture contains no substance considered to be ver persistent and very bioaccumulating (vPvB). Components: Naphtha (petroleum), light alkylate: Bioaccumulation : Partition coefficient: n- : octanol/water : Pentane, 2,2,4-trimethyl-: Bioconcentration factor (BCF): 105 Partition coefficient: n- : iog Pow: 3.52 : Pentane, 2,2,4-trimethyl-: Bioconcentration factor (BCF): 231 Mobility in soil : Product: : Mobility in soil : Product: : Mobility : Distribution among : Remarks: No data available	<u>Com</u>	oonents:			
Biodegradability : Result: Not readily biodegradable. Pentane, 2,2,4-trimethyl-: Biodegradability : Biodegradability : Remarks: The solvent is biodegradable. Bioaccumulative potential Product: Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxis (PBT). This mixture contains no substance considered to be ver persistent and very bioaccumulating (vPvB). Components: Naphtha (petroleum), light alkylate: Bioaccumulation : Bioconcentration factor (BCF): 105 Partition coefficient: n- : log Pow: 3.52 octanol/water : Bioconcentration factor (BCF): 231 Mobility in soil E Product: Mobility in soil : Remarks: No data available Distribution among : Remarks: No data available	Naph	tha (petroleum), light a	alky	late:	
Biodegradability : Remarks: The solvent is biodegradable. Bioaccumulative potential	Biode	gradability	:	Result: Not readily biodegradable.	
Biodegradability : Remarks: The solvent is biodegradable. Bioaccumulative potential	Penta	ane, 2,2,4-trimethyl-:			
Product: Bioaccumulation : Remarks: This mixture contains no substance considered be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be ver persistent and very bioaccumulating (vPvB). Components: Naphtha (petroleum), light alkylate: Bioaccumulation : Bioconcentration factor (BCF): 105 Partition coefficient: n- octanol/water : log Pow: 3.52 Pentane, 2,2,4-trimethyl-: : Bioconcentration factor (BCF): 231 Mobility in soil : Bioconcentration factor (BCF): 231 Product: : Bioconcentration factor (BCF): 231 Mobility in soil : Bioconcentration factor (BCF): 231 Distribution among : Remarks: No data available			:	Remarks: The solvent is biodegradal	ble.
Bioaccumulation : Remarks: This mixture contains no substance considered be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be ver persistent and very bioaccumulating (vPvB). Components: Naphtha (petroleum), light alkylate: Bioaccumulation : Bioconcentration factor (BCF): 105 Partition coefficient: n- octanol/water : log Pow: 3.52 Pentane, 2,2,4-trimethyl-: Bioconcentration factor (BCF): 231 Mobility in soil : Bioconcentration factor (BCF): 231 Mobility in soil : Remarks: No data available Distribution among : Remarks: No data available	Bioad	ccumulative potential			
be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be ver persistent and very bioaccumulating (vPvB). Components: Naphtha (petroleum), light alkylate: Bioaccumulation : Bioaccumulation : Partition coefficient: n- octanol/water : Pentane, 2,2,4-trimethyl-: Bioconcentration factor (BCF): 105 Pentane, 2,2,4-trimethyl-: Bioconcentration factor (BCF): 231 Mobility in soil : Product: Mobility Mobility : Remarks: No data available Distribution among :	Prod	uct:			
Naphtha (petroleum), light alkylate:Bioaccumulation:Bioconcentration factor (BCF): 105Partition coefficient: n- octanol/water:log Pow: 3.52Pentane, 2,2,4-trimethyl-::Bioconcentration factor (BCF): 231Bioaccumulation:Bioconcentration factor (BCF): 231Mobility in soil:.Product: Mobility:Remarks: No data availableDistribution among:Remarks: No data available	Bioac	cumulation	:	be persistent, bioaccumulating and to This mixture contains no substance of	oxic (PBT). considered to be very
Bioaccumulation : Bioconcentration factor (BCF): 105 Partition coefficient: n- octanol/water : log Pow: 3.52 Pentane, 2,2,4-trimethyl-: : Bioconcentration factor (BCF): 231 Mobility in soil : Bioconcentration factor (BCF): 231 Mobility in soil : Remarks: No data available Distribution among : Remarks: No data available	<u>Com</u>	oonents:			
Partition coefficient: n- octanol/water : log Pow: 3.52 Pentane, 2,2,4-trimethyl-: Bioaccumulation : Bioconcentration factor (BCF): 231 Mobility in soil : Product: Remarks: No data available Distribution among : Remarks: No data available	Naph	tha (petroleum), light a	alky	late:	
octanol/water • Pentane, 2,2,4-trimethyl-: Bioaccumulation Bioaccumulation : Bioconcentration factor (BCF): 231 Mobility in soil • Product: • Mobility : Remarks: No data available Distribution among : Remarks: No data available	Bioac	cumulation	:	Bioconcentration factor (BCF): 105	
Bioaccumulation : Bioconcentration factor (BCF): 231 Mobility in soil			:	log Pow: 3.52	
Mobility in soil Product: Mobility : Remarks: No data available Distribution among : Remarks: No data available					
Product: Mobility : Remarks: No data available Distribution among : Remarks: No data available	Bioac	cumulation	:	Bioconcentration factor (BCF): 231	
Mobility:Remarks: No data availableDistribution among:Remarks: No data available	Mobi	lity in soil			
Distribution among : Remarks: No data available	Prod	uct:			
	Mobil	ity	:	Remarks: No data available	
environmental compartments		bution among onmental compartments	:	Remarks: No data available	







Version 1.1	Revision Date: 02/28/2023		te of last issue: 02/27/2023 te of first issue: 02/27/2023	Print Date: 03/14/2023
Othe	er adverse effects			
Prod	luct:			
Ozor	ne-Depletion Potential	:	Regulation: 40 CFR Protection of Protection of Stratospheric Ozone Substances Remarks: This product neither con manufactured with a Class I or Cla U.S. Clean Air Act Section 602 (40 B).	- CAA Section 602 Class I ntains, nor was ass II ODS as defined by the
	tional ecological mation	:	Toxic to aquatic life with long lasti	ng effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name Class	:	UN 3295 HYDROCARBONS, LIQUID, N.O.S. 3
Packing group Labels	:	II 3
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo		UN 3295 Hydrocarbons, liquid, n.o.s. 3 II Flammable Liquids 364







Zyvax® Flex-Z[™] 6.0

LJIUNO				
Version 1.1	Revision Date: 02/28/2023		e of last issue: 02/27/2023 e of first issue: 02/27/2023	Print Date: 03/14/2023
	aft) ing instruction senger aircraft)	:	353	
UN n	G-Code lumber er shipping name	:	UN 3295 HYDROCARBONS, LIQUID, N.O. (low boiling point modified naphtha	
Labe EmS	ing group	:	3 II 3 F-E, S-D yes	
	sport in bulk accord	-	Annex II of MARPOL 73/78 and th plied.	e IBC Code
Natio	onal Regulations			
	FR D/NA number er shipping name	:	UN 3295 Hydrocarbons, liquid, n.o.s.	
Labe ERG	ing group		3 II FLAMMABLE LIQUID 128 yes(low boiling point modified napl trimethyl-)	htha, Pentane, 2,2,4-

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, or solids) Aspiration hazard Skin corrosion or irritation Specific target organ toxicity (single or repeated exposure)
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.







Zyvax® Flex-Z[™] 6.0

Version	Revision Date:	Date of last issue: 02/27/2023	Print Date:
1.1	02/28/2023	Date of first issue: 02/27/2023	03/14/2023

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

Pentane, 2,2,4-trimethyl- 540-84-1

>= 20 - < 30 %

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing







Zyvax® Flex-Z[™] 6.0

Version	Revision Date:	Date of last issue: 02/27/2023	Print Date:
1.1	02/28/2023	Date of first issue: 02/27/2023	03/14/2023

Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 02/28/2023

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

